



Physico chemical study of soil collected from Visnagar Taluka, Dist. Mehsana, Gujarat, India

Upendra R. Patel*¹, Pradhuman A. Parmar¹, Harsh M. Patel¹

¹Department of Chemistry, M.N. College Visnagar, Gujarat, India.

ABSTRACT:

The present study has been performed to investigate physical and chemical characteristic of soil samples collected from Visnagar Taluka, District Mehsana (Gujarat). The soil characterization of soil samples were carried out the parameters like pH, Electrical conductivity, calcium, magnesium, sulphur, organic carbon, available potash, phosphorous, copper, iron, manganese and zinc. Five representative location were selected for study and 20 samples from each location & direction of area were collected. Low, medium & high range of all parameter also calculated from analysis data. Variety of soil nutrients are found in analysis because of soil samples were collected from different places. These studies give information about nature of soil, present nutrient in soil, according to this information farmers can arrange the amount of which fertilizers and nutrients needed to soil for increase the percentage yield of crops.

Keywords: Investigate, Characterization, Electrical conductivity,

INTRODUCTION: Soil sampling is perhaps the most vital step for any soil analysis. As a very small fraction of the huge soil mass is used for analysis, it becomes extremely important to get a truly representative soil sample of the field. Soil test based nutrient management has emerged as a key issue in efforts to increase agricultural productivity and production since optimal use of nutrients, based on soil analysis can improve crop productivity and minimize wastage of these nutrients, thus minimizing impact on environment leading to bias through optimal production. Deficiencies of primary, secondary and micronutrients have been observed in intensive cultivated areas [1].

Several Villages in Visnagar Taluka Dist: Mehsana (Gujarat) India has made commendable progress in soil testing program in various ways. . This compendium is an effort to put together existing status of soil testing facilities state wise and highlight main issues in soil testing program compendium on soil health [2]. Soil is important everyone either directly or indirectly. It is natural body on which agricultural products grow and it has fragile ecosystem [3, 4]. Soils are medium in which crops grow to food and cloth the world. Soil fertility vital to a productive soil.

There is no intent with this system to make any interpretation as to the potential environment impact of sensitive nutrients, such as phosphorus. This interpretation system is meant strictly for the determination of current soil suitability for agronomic or horticulture crop production. While nutrient availability can be important in gauging the potential for adverse environment effects, it is only one factor in the overall picture. Slope, ground cover, incorporation of nutrient sources, timing of application and other considerations all affect the

potential movement of nutrients off-site and their potential for adverse environment impact on surface and ground water [5,6].

Soil fertility testing is really the combination of three discrete but interrelated processes: analysis, interpretation, and recommendation [7]. Stefanie's definition approaches the most the fundamental biologic feature of soil fertility.

Present study is an attempt to find out the nutrient's quantity in soil Kelisana, Chhogala, Iaasara, Sevaliya, Rangpur, Visnagar, Mehsana, Gujarat. This information will help farmers to decide the amount of fertilizer to be added to soil to make the production economic. The objective of this paper was to analyze the trend in PH, EC, OC, N, P, K status of soils of Visnagar Taluka of Gujarat State

CHEMICAL & EQUIPMENTS

Potassium chloride, Buffer tablate, Sulphuric acid, Potassium dichromate, Sodium bicarbonate, activated charcoal (phosphorous free), Ammonium molybdate, Stannous chloride, Ammonium acetate, Calcium chloride, Glacial acetic acid, Barium chloride, Gum acacia, Sodium diethyl dithiocarbamate, Sodium hydroxide, Muroxide, Ethylene di amine tetraacetate, Ammonia buffer, Diethylenetriamine pentaacetic acid, Eriochrome black-T, were procured from s.d. fine chem Ltd. All chemicals are of analytical grade reagent.

pH was measured on pH meter (systronics Model No-335), Conductivity was measured on conductivity meter (systronics Model No-304), Optical density was measured on colorimeter (systronics Model No-202), Analytical balance (Wensar Model No-PGB200) was used to weigh samples and reagents, Flame photometer (systronics Model No-128) was used for analysis of Potash, Micro Nutrients was analyzed on Double beam atomic absorption spectrophotometer (Elico Model No-SL 194).

METHOD OF ANALYSIS:-

(1) Magnesium

5 g air dried soil sample was taken in conical flask. To this 25ml of Neutral ammonium acetate solution was added. The solution was shaken on mechanical shaker and filtered through Whatman (No.1) filter paper. 5 ml solution was pipette out in conical flask. To this solution, 2-3 crystal sodium diethyl dithiocarbamate, 5 ml of ammonium chloride-ammonium hydroxide buffer solution and 3-4 drops of Eriochrome black T indicator were added. Titrated it slowly against 0.01 M EDTA solution. At the end point color changed from wine red to blue.

(2) Electrical Conductivity (E.C.)

10 g soil and 20 ml distilled water were taken in 50 ml beaker. It was stirred for 30 minutes. The temperature of E.C. meter was adjusted at 25 °C then conductance was adjusted to 1.412 mS/cm by using 0.01 N KCl solution. Washed the electrode with distilled water and cleaned with filter paper. Immersed electrode in above suspension solution and note the reading.

(3) Potassium

Method for graph factor of Potassium

Prepared following stock solution and from it make various potash ppm solutions and run in flame photometer and note down potash ppm the reading.

Flask No	Stock solution	Concentration of Pottash in 100 ml Volumetric Solution (ppm)	Reading of Flame Photometer
1	0.0ml (Blank)	-----	0
2	1.0ml	10ppm	40
3	1.5ml	15ppm	45.5
4	2.0ml	20ppm	56.5
5	2.5ml	25ppm	62.5
6	3.0ml	30ppm	80
7	4.0ml	40ppm	100
	Total	140ppm	384.5

Calculation

$$\begin{aligned}
 1 \text{ Reading} &= \text{Total Solution of ppm} / \text{Total Reading} \\
 &= 140 / 384.5 \\
 &= 0.364
 \end{aligned}$$

$$\begin{aligned}
 1 \text{ Gram Soil} &= R \times 0.364 \times 5 \text{ Microgram K} / \text{Gram Soil (0.364 Graph Factor)} \\
 R &= \text{Flame Photometer Reading of sample}
 \end{aligned}$$

K

$$\text{Kg/Hectare} = R \times 0.364 \times 5 \times 2.24 \quad (2.24 = \text{Factor in } \mathbf{K} \text{ Hectare})$$

K₂O

$$\begin{aligned}
 \text{Kg/Hectare} &= R \times 0.364 \times 5 \times 2.24 \times 1.20 \quad (1.20 = \text{Factor in } \mathbf{K_2O} \text{ Hectare}) \\
 &= R \times 4.892
 \end{aligned}$$

Process:

5 g soil sample was taken in 100 ml conical flask. 25 ml 1 M neutral ammonium acetate solution was added. Shaken it for 5 minutes on shaking machine and filtered the solution on whatman filter paper. Flame photometer was calibrated by using 10, 20, 30, 40, 50, 60, 70, 80 and 90 ppm standard potassium solution. After calibration run above filtrate for analysis and note down the reading.

(4) Carbon

Method for making standard graph for Organic carbon.

Weighed out 1.25 g sucrose and taken it into 250 ml of volumetric flask and dissolved in 1 N of potassium dichromate solution, and makes up 250 ml volume by using 1 N potassium dichromate. 7 glass beakers of 50 ml were taken and numbered from 1 to 7. 0 ml, 1 ml, 2 ml, 3 ml, 4 ml, 5 ml and 6 ml solution was taken into above beakers from prepared solution of potassium dichromate. Taken 10 ml 1 N potassium dichromate solution and 20 ml conc. sulphuric acid in test-tube and placed for 30 minutes. Allowed to cool and added 20 ml distilled water. Prepared following different standard carbon ppm solution and measured optical density (O.D.) by using red filter.

Sr. No	ml of sucrose solution diluted in potassium dichromate	Amount of sucrose	O.D.
1	0 (blank)	-----	0
2	1	0.005 g	30
3	2	0.010 g	67
4	3	0.015 g	96
5	4	0.020 g	128
6	5	0.025 g	152
7	6	0.030 g	185
	Total	0.105 g	658

Calculation:-

1 Reading

$$\begin{aligned}
 \text{1 Reading} &= \text{Total Amount of Sucrose} / \text{Total Reading} \\
 &= 0.000159574 \\
 &= 0.000161043 \text{ g Sucrose}
 \end{aligned}$$

1 Reading Carbon value:

$$\begin{aligned}
 &0.00006702 \\
 &0.00006764 \text{ gram organic carbon}
 \end{aligned}$$

$$\begin{aligned}
 \text{1 Reading Graph Factor Value} &= 0.000067638 \times 100 \\
 &= 0.0067638
 \end{aligned}$$

Process:

Taken 1.0 g soil sample in 100 ml beaker. 10 ml 1 N Potassium dichromate solution and 20 ml conc. Sulfuric acid were added to the sample and cooled the solution for 30 minutes. 20 ml distilled water was slowly added and allowed for 12 hrs for oxidation. Then first set zero optical density using blank solution (as above method without taking soil sample). Measured optical density (O.D.) of soil sample by using red filter and note down the reading.

(5) Phosphorus

Method for making standard graph for phosphorus.

0.439 g previously dried potassium dihydrogen orthophosphate was dissolved in 500 ml distilled water and 25 ml 7.0 N Sulphuric acid solution was added and then makes up 1 Ltr by using distilled water. 10 ml above solution was taken and makes up 500 ml by using distilled water (1 ml this resulting solution is equivalent to 2 ppm of phosphorus). By using this solution, various standard phosphorus ppm solutions were prepared and measured and their optical densities (O.D.) were measured by using red filter.

Standard Graph of Phosphorous

Flask No	2 ppm Working Solution of Phosphorous	8.5 pH Solution of Sodium Bicarbonate	1.5 Percentage Solution of Ammonium Molybdate-HCl	Working Solution of Steanus Chloride	O.D.
1	0 Blank	5 ml	5 ml	1 ml	0
2	1 ml = 2 ppm	5 ml	5 ml	1 ml	22
3	2 ml = 4 ppm	5 ml	5 ml	1 ml	35
4	3 ml = 6 ppm	5 ml	5 ml	1 ml	52
5	4 ml = 8 ppm	5 ml	5 ml	1 ml	78
6	5 ml = 10 ppm	5 ml	5 ml	1 ml	102
7	10 ml = 20 ppm	5 ml	5 ml	1 ml	192
	Total = 50 ppm				481

Calculation

1 Reading

$$\begin{aligned}
 1 \text{ Reading} &= \text{Total Solution of ppm} / \text{Total Reading} \\
 &= 50 / 481 \\
 &= 0.104 \\
 &0.1010 \text{ Microgram P (Graph Factor)}
 \end{aligned}$$

1 Gram Soil = R X 0.1010 X 4 Microgram P/ Gram Soil

R =Colorimeter Reading of Sample 0. 1010= Graph Factor

P Kg/ Hectare = R X 0.1010 X 4 x 2.24 (2.24 = Factor in 'P' Hectare)

P₂O₅ Kg/ Hectare = R X 0.1010 X 4 x 2.24 X 2.29 (2.29 = Factor in 'P₂O₅ ' Hectare)

P_2O_5 Kg/ Hectare = R X 2.0723584

Process:

2 g soil sample and 40 ml 0.5 M sodium bicarbonate (8.5 pH) solution were taken in 100 ml beaker. To this, 1 g phosphate free activated charcoal was added and shaken on shaker for 30 minutes. The solution was filtered and pipette out 5 ml. 5ml 1.5% ammonium molybdate-hydrochloric acid solution was added to this solution. Allow to stand for 30 minutes, then 1ml 0.016 M stannous chloride solution was added & make up 25 ml using distilled water. Blank solution was prepared according to the above process without taking the soil sample. Red filter was used and zero optical density was set by using above blank solution, then put the above sample solution and note the optical density.

(6) pH

10 g soil & 20 ml distilled water were taken in 50 ml beaker & stirred for 30 min. In 50 ml beaker taken 10 g soil and added 20 ml distilled water and stir for 30 min. Adjusted the temperature of pH meter at 25 °C. Calibrated the pH meter using 4, 7.0, 9.2 pH buffer solution. Washed the electrode with distilled water and clean by filter paper. Immersed electrode in above suspension solution and note the reading.

(7) Micronutrients (Cu, Fe, Mn, Zn) analysis by AAS

Preparation of D.T.P.A extracting solution

1.967 g D.T.P.A. and 13.3 ml triethanol amine were taken in 500 ml flask. 400 ml distilled water was added. 1.47 g calcium chloride dihydrate was taken in 1ltr flask and dissolved in 400 ml distilled water. To this solution, previously prepared D.T.P.A. & T.E.A. solution was added and pH was adjusted to 7.3 by using add 1M HCl. Make up 1 ltr with distilled water.

Analysis method for micronutrients (Cu, Fe, Mn, Zn)

Weighted 20 g dried soil sample in a plastic bottle, then added 40 ml of D.P.T.A. solution. Shake on mechanical shaker for 2 hrs. Filtered it on whatman filter No. 40 in funnel cum test tube. Prepared standard curve for element by using different working ppm solution as per standard method of analysis and condition suggested by Elico brochure and then run the sample and note the ppm of elements. Obtained ppm reading multiplied with factor 2.0.

(8) Calcium

5 g air dried soil sample was taken in 150 ml conical flask and 25 ml of neutral normal ammonium acetate was added. Shaken it on mechanical shaker for 5 min, and filtered through Whatman filter paper No.1. 10 ml filtrate solution was taken in conical flask, and 2-3 crystals of sodium diethyl dithiocarbamate were added. Then 5 ml 16% sodium hydroxide and 40-50

mg of the murexide indicator were added. Titrate it with 0.01N EDTA solution till the color gradually changes from orange red to reddish violet (purple), note the titrated EDTA solution.

(9) Sulphur

Method for making standard graph for Sulphur

Weighted out 5.434 g potassium sulphate and make up 1 Ltr by using distilled water (this solution contains 1000 ppm of sulphur). 25 ml this solution was taken and make up 1 Ltr with distilled water (this is working standard solution of sulphur). Taken 0.0 (Blank), 1.0, 2.0, 3.0, 4.0, 5.0, 6.0, 7.0, 8.0, and 10 ml working solution in 25 ml volumetric flask. In every flask 1.0 g barium chloride and 1 ml gum acacia solution were added, and make up 25 ml by using distilled water. Then optical density of blank solution was set to zero using blue filter.

Sr. No.	Working standard sulphur solution in ml	ppm	O.D.
1	0	0	0
2	1	1	12
3	2	2	23
4	3	3	32
5	4	4	43
6	5	5	51
7	6	6	64
8	7	7	86
9	8	8	103
10	10	10	130
	Total ppm	46	Total: 544

Calculation:-

1 Reading = Total ppm of Sulphar/Total reading

$$1 \text{ Reading} = 46/544 \\ = 0.08$$

Sulphar ppm or mg/kg

Sulphar ppm or mg/kg = sample reading X graph Factor X 50 X 25 /20 X 10

Sample Reading X 0.084871 X 50 X 25/200

Sulphar ppm = Sample Reading X 0.530443 or mg/kg

Process:

10 g air dried soil sample was taken in 150 ml conical flask. 50 ml 0.15% calcium chloride extracting solution was added and shaken on mechanical shaker for 30 min. Filtered

it on whatman filter No. 42. 20 ml filtrate was taken in 25 ml volumetric flask. 2 ml glacial acetic acid, 1 g crystal of barium chloride and 1 ml gum acacia solution were added. Make up the volume to 25 ml, then first set zero optical density using blank solution (as above method without taking soil sample). Measured optical densities (O.D) of above prepared sample by using blue filter.

Sr.No	Parameters	Unit	Critical Limits		
			Low	Medium	High
1	pH	-----	<6.5	6.5-8.2	>8.2
2	Electric Conductance	-----	<1	1-3	>3
3	Organic carbon	%	<0.51	0.51-0.75	>0.75
4	Phosphorous	Kg/Hectare	<26	26-60	>60

Result and Discussion

Soil sampling

Soil sampling was done during the dry season. Soil sampling was done at five randomly located points within each farm. The soils were sampled at two depths, 0 to 15 cm, 15 to 35 cm, using mini-soil pits dug at each sampling point. The soil samples were air dried in the laboratory and sieved through a 2 mm sieve for different types of laboratory analyses.

Critical Limits of Nutrients:-

5	Potash	Kg/Hectare	<151	151-300	>300
6	Zinc	ppm	<0.5	0.5-1.0	>1.0
7	Ferrous	ppm	<5	5-10	>10
8	Sulphur	ppm	<10	10-20	>20
9	Manganese	ppm	<5	5-10	>10
10	Copper	ppm	<0.2	0.2-0.4	>0.4
11	Magnesium	ppm	<1.0	1.0-2.0	>2.0
12	Calcium	ppm	<1.5	1.5-3.0	>3.0

Calculation of soil fertility Index:

$$= \frac{(\% \text{ of Low} \times 1) + (\% \text{ of Medium} \times 2) + (\% \text{ of High} \times 3)}{100}$$

Calculation of Low, Medium, High rating of soil fertility Index:

Sr. No.	Rang	Rating
1	Less than 1.67	Low
2	1.67 to 2.33	Medium
3	Greater than 2.33	High

Samples site:

Village :Kelisana, Taluka: Visnagar, District: Mehsana, Gujarat, India.

Sample No.	pH	EC	Org. Carbon (%)	Phosphorous (Kg/ Hectare)	Pottash (Kg/Hectare)	Zn ppm	Fe ppm	Sulphur ppm	Mn ppm	Cu ppm	Mg (Me*/100 g soil)	Ca (Me*/100 g soil)
1	8.44	0.20	0.74	89.11	315.91	0.3	3.5	10.08	14.82	0.82	5.65	11.25
2	9.16	0.20	0.75	78.75	338.67	0.26	3.34	11.14	13.2	0.8	4.3	9.5
3	9.02	0.21	0.80	78.75	317.25	0.22	3.34	10.08	12.54	0.68	1.9	10.6
4	8.43	0.22	0.61	87.04	384.18	0.28	3.62	6.37	15.9	0.76	1.45	11.05
5	8.48	0.21	0.78	78.75	311.89	0.26	3.66	11.67	12.42	0.74	1.75	14.45
6	9.15	0.20	0.57	89.11	206.14	0.18	2.98	8.49	2.98	0.78	3.1	16.1
7	9.07	0.21	0.51	66.32	234.26	0.14	3.34	7.96	9.96	1.08	0.85	16.65
8	8.51	0.24	0.37	64.24	295.83	0.14	3.24	6.90	12.26	1.06	2.8	16.1
9	8.58	0.21	0.55	70.46	212.84	0.18	3.46	12.20	8.68	0.98	4.05	11.25
10	8.06	0.43	0.49	68.39	290.48	0.36	3.3	9.02	14.16	0.96	2.1	13.9
11	8.46	0.26	0.70	89.11	401.58	0.32	3.24	12.73	20.56	1.1	1.8	15.2
12	8.36	0.39	0.69	93.26	306.54	0.5	3.08	9.55	8.16	1.64	1.2	13.6
13	8.21	0.52	0.63	84.97	317.25	0.32	3.08	10.61	19.34	0.86	1.95	16.05
14	8.25	0.24	0.72	72.53	246.30	0.34	3.5	10.61	17.02	0.86	4	13
15	8.23	0.43	0.70	91.18	255.67	0.34	3.3	10.08	16.62	0.94	2.85	12.15
16	8.71	0.18	0.32	72.53	210.16	0.18	3.3	9.02	6.36	1.12	3.15	12.85
17	8.41	0.23	0.73	91.18	427.01	0.32	3.18	11.67	11.54	0.8	3.5	12
18	8.48	0.37	0.61	84.97	240.95	0.28	3.18	6.90	4.38	1.32	4	17
19	8.42	0.28	0.71	93.26	361.42	0.38	3.14	7.96	3.34	0.8	3.4	14.6
20	8.66	0.18	0.46	91.18	210.16	0.2	3.24	7.96	5.34	1.12	2.7	13.6

*= Miliequivalent

Soil Fertility Index & Soil Test Rating:-

Samples site:

Village :Kelisana, Taluka: Visnagar, District: Mehsana, Gujarat, India.

Sample No.	pH	EC	Org. Carbon (%)	Phosphorous (Kg/Hectare)	Pottash (Kg/Hectare)	Zn ppm	Fe ppm	Sulphur ppm	Mn ppm	Cu ppm	Mg (Me*/100 g soil)	Ca (Me*/100 g soil)
L	0	20	4	0	0	20	0	0	3	0	1	0
M	1	0	13	0	0	0	0	10	5	0	6	0
H	19	0	3	20	20	0	20	10	12	20	13	20
%L	0	100	20	0	0	100	0	0	15	0	5	0
%M	5	0	65	0	0	0	0	50	25	0	30	0
%H	95	0	15	100	100	0	100	50	60	100	65	100
S.F.I.*	2.95	1.00	1.95	3.00	3.00	1.00	3.00	2.50	2.45	3.00	2.60	3.00
LMH** of SFI	H	L	M	H	H	L	H	H	H	H	H	H

*= Soil Fertility Index, **= Low, Medium, and High Soil Fertility Index

CONCLUSION:- It is concluded from above analysis that E.C. & Zn are in Low Amount, Zinc Sulphate should be added for better plant growth & productivity. The other parameters are in limit. pH is in high limit so it can be neutralized by using acidic fertilizer

Samples site:

Village :Chhogala, Taluka: Visnagar, District: Mehsana, Gujarat, India.

Sample No.	pH	EC	Org. Carbon (%)	Phosphorous (Kg/Hectare)	Pottash (Kg/Hectare)	Zn ppm	Fe ppm	Sulphur ppm	Mn ppm	Cu ppm	Mg (Me*/100 g soil)	Ca (Me*/100 g soil)
1	7.54	0.22	0.99	41.45	175.36	0.44	7.6	25.46	28.64	1.4	1.5	8.1
2	7.60	0.16	1.10	45.59	281.11	1	6.5	21.75	19.08	1.34	3.33	6.77
3	7.47	0.17	0.74	62.17	313.23	0.3	10.02	33.95	33.66	1.58	2.1	7
4	8.70	0.37	1.38	43.52	337.33	0.52	6.36	33.42	19.08	1.14	1.1	5.8
5	7.64	0.54	1.19	31.09	447.09	0.76	8.72	35.01	23.68	2.1	1.6	6.7
6	8.10	0.26	0.95	39.37	497.96	0.4	3.82	50.39	25.48	1.08	1.65	7.35
7	7.89	0.14	1.38	49.74	306.54	0.7	9.24	38.19	21.64	2	1.95	6.15
8	7.90	0.47	1.00	82.89	203.47	0.62	5.74	23.87	21.2	1.58	3.15	7.55
9	7.81	0.51	0.56	64.24	334.65	0.24	8.64	45.09	15.24	1.48	1.6	6.9
10	8.23	0.16	1.17	87.04	286.46	0.56	7.44	21.22	17.44	1.36	3.9	7.8
11	7.80	0.57	0.66	72.53	326.62	0.24	6.3	42.97	22.08	1.74	3.9	8.1
12	7.60	0.23	0.53	93.26	282.44	0.24	8.12	46.15	31.02	1.84	2.85	7.05
13	7.58	0.22	1.11	62.17	447.09	0.42	10.96	31.30	36.36	1.78	3.1	7.4
14	7.94	0.24	1.18	43.52	345.36	0.6	8.94	31.83	20.9	1.58	2.35	6.05
15	8.30	0.40	0.44	49.74	168.66	0.26	5.24	24.93	21.04	1.48	2.05	6.85
16	8.35	0.19	0.99	72.53	406.93	1.4	6.5	16.97	24.04	1.48	3.6	7.8
17	8.40	0.41	0.66	87.04	148.58	0.54	9.4	32.89	20.68	2.1	1.35	8.65
18	7.85	0.28	0.93	84.97	310.56	0.48	9.16	28.11	24.5	1.94	7.65	5.35
19	7.72	0.25	1.25	68.39	349.37	0.28	10.96	24.93	33.24	1.9	1.4	8.5
20	7.21	0.22	0.70	64.24	358.74	0.28	9.54	26.52	29.48	1.8	1.75	8.15

*=Miliequivalent

Samples site & Soil Test Rating:-

Village :Chhogala, Taluka: Visnagar, District: Mehsana, Gujarat, India.

Sample No.	pH	EC	Org. Carbon (%)	Phosphorous (Kg/ Hectare)	Pottash (Kg/ Hectare)	Zn ppm	Fe ppm	Sulphur ppm	Mn ppm	Cu ppm	Mg (Me*/100 g soil)	Ca (Me*/100 g soil)
L	0	20	1	0	0	20	0	0	0	0	0	0
M	15	0	6	0	0	0	0	0	0	0	9	0
H	5	0	13	20	20	0	20	20	20	20	11	20
%L	0	100	5	0	0	100	0	0	0	0	0	0
%M	75	0	30	0	0	0	0	0	0	0	45	0
%H	25	0	65	100	100	0	100	100	100	100	55	100
S.F.I.*	2.25	1.00	2.60	3.00	3.00	1.00	3.00	3.00	3.00	3.00	2.55	3.00
LMH** of SFI	M	L	H	H	H	L	H	H	H	H	H	H

*= Soil Fertility Index, **= Low, Medium, and High Soil Fertility Index

CONCLUSION:- It is concluded from above analysis that E.C. & Zn are in low amount, Zinc Sulphate should be added for better plant growth & productivity. The other parameters are in limit. pH is in medium limit so it can be neutralized by using acidic fertilizer.

Samples site:

Village : Iaasara, Taluka: Visnagar, District: Mehsana, Gujarat, India.

Sample No.	pH	EC	Org. Carbon (%)	Phosphorous (Kg/ Hectare)	Pottash (Kg/Hectare)	Zn ppm	Fe ppm	Sulphur ppm	Mn ppm	Cu ppm	Mg (Me*/100 g soil)	Ca (Me*/100 g soil)
1	8.45	0.22	0.76	55.95	182.05	0.18	2.6	8.49	8.02	1.02	1.7	7.2
2	7.8	0.26	0.85	84.97	270.40	0.4	2.86	11.14	10.52	0.76	1.8	6.3
3	8.15	0.20	0.80	87.04	246.30	0.22	2.7	6.37	5.02	0.66	1.85	6.45
4	8.6	0.58	0.68	91.18	338.67	0.18	2.92	6.90	9.18	0.7	2.35	5.05
5	8.18	0.42	0.72	84.97	293.15	0.22	2.54	10.61	8.96	0.84	2.8	7
6	8.33	0.21	0.76	91.18	306.54	0.2	2.82	10.61	6.82	0.86	2.3	7.8
7	8.39	0.16	0.85	60.10	246.30	0.22	2.82	6.37	2.2	0.64	1	8.1
8	8.34	0.22	0.68	68.39	238.27	0.2	2.7	10.61	10.34	1.02	3.15	7.05
9	8.04	0.20	0.86	74.60	199.45	0.38	3.14	7.96	6.9	0.78	2.9	7.2
10	8.38	0.21	0.85	64.24	140.55	0.26	2.54	9.55	7.16	0.88	2.05	8.15
11	8	0.47	0.32	49.74	123.15	0.16	2.5	7.96	9.46	0.76	3.5	7
12	7.96	0.60	0.79	55.95	117.80	0.2	2.98	11.67	15.32	0.92	1.7	8.3
13	8.3	0.53	0.80	66.32	148.58	0.16	2.54	11.67	8.82	0.78	1.95	6.45
14	8.14	0.50	0.80	84.97	168.66	0.14	2.44	10.61	7.64	0.68	2.4	6
15	8.35	0.22	0.64	53.88	231.58	0.2	2.38	12.20	5.44	0.82	2.55	6.45
16	8.15	0.34	0.83	64.24	243.63	0.22	2.38	6.90	6.6	0.84	2.15	6.05
17	8.34	0.31	0.79	70.46	235.59	0.2	2.28	10.08	8.78	0.8	2.2	6.6
18	8.25	0.24	0.81	84.97	199.45	0.22	2.76	11.67	12.7	0.82	2.2	7.1
19	8.5	0.31	0.83	74.60	226.22	0.14	2.6	11.67	9.2	0.84	2.1	6.8
20	8.15	0.27	0.85	64.24	215.51	0.22	2.92	7.43	10.82	0.96	2.3	7.1

*=Miliequivalent

Soil Fertility Index & Soil Test Rating:-

Samples site:

Village : Iaasara, Taluka: Visnagar, District: Mehsana, Gujarat, India.

Sample No.	pH	EC	Org. Carbon (%)	Phosphorous (Kg/Hectare)	Pottash (Kg/Hectare)	Zn ppm	Fe ppm	Sulphur ppm	Mn ppm	Cu ppm	Mg (Me*/100 g soil)	Ca (Me*/100 g soil)
L	0	20	1	0	4	20	20	9	1	0	0	0
M	9	0	4	4	14	0	0	11	14	0	6	0
H	11	0	15	16	2	0	0	0	5	20	14	20
%L	0	100	5	0	20	100	100	45	5	0	0	0
%M	45	0	20	20	70	0	0	55	70	0	30	0
%H	55	0	75	80	10	0	0	0	25	100	70	100
S.F.I.*	2.55	1.00	2.70	2.80	1.90	1.00	1.00	1.55	2.20	3.00	2.70	3.00
LMH** of SFI	H	L	H	H	M	L	L	L	M	H	H	H

*= Soil Fertility Index, **= Low, Medium, and High Soil Fertility Index

CONCLUSION:- It is concluded from above analysis that E.C. & Zn & Fe & Sulphur are in low amount, Zinc Sulphate & Ferrous Ammonium Sulphate & Potassium Sulphate should be added for better plant growth & productivity. The other parameters are in limit. pH is in high limit so it can be neutralized by using acidic fertilizer

Samples site:

Village : Sevaliya, Taluka: Visnagar, District: Mehsana, Gujarat, India.

Sample No..	pH	EC	Org. Carbon (%)	Phosphorous (Kg/Hectare)	Pottash (Kg/Hectare)	Zn ppm	Fe ppm	Sulphur ppm	Mn ppm	Cu ppm	Mg (Me*/100 g soil)	Ca (Me*/100 g soil)
1	7.72	0.50	0.83	51.81	437.72	0.36	5.22	55.17	20.88	0.44	3.15	7.85
2	7.40	0.20	0.51	43.52	330.63	0.2	9.66	34.48	28.32	0.82	0.45	6.75
3	7.60	0.18	0.80	37.30	479.22	0.64	10.82	19.10	14.34	1.28	0.55	9.75
4	8.00	0.15	0.75	49.74	326.62	0.24	7.3	17.50	21.26	0.76	1.1	9
5	8.00	0.60	0.82	41.45	392.21	0.48	7.8	47.21	15.82	0.9	2.1	8
6	7.97	0.16	0.93	64.24	416.30	0.24	6.04	65.24	18.82	0.9	3.4	7.5
7	7.50	0.57	0.65	68.39	390.87	0.18	6.88	22.81	20	0.88	3.05	7.25
8	7.25	0.16	1.16	41.45	310.56	0.6	6.04	13.26	12.18	0.66	1.8	7.5
9	7.23	0.22	0.59	70.46	322.60	0.3	12.42	20.69	30.26	1.12	2.25	8.25
10	7.74	0.15	0.76	43.52	283.78	1.24	6.6	19.10	21.86	0.84	4.8	9.3
11	7.15	0.15	1.06	43.52	485.91	0.56	13.92	14.85	15.86	1.52	3.3	7.5
12	7.65	0.15	0.44	82.89	333.31	0.24	9.06	30.24	14.92	0.94	2	7.8
13	7.13	0.22	0.63	70.46	489.93	0.18	11.7	31.30	35.98	1.16	5.25	6.55
14	7.48	0.17	0.42	64.24	257.01	0.2	8.6	25.46	17.18	0.96	1.15	6.95
15	7.25	0.18	0.66	51.81	452.45	0.26	13.26	47.74	36.38	1.36	4.85	7.15
16	7.24	0.18	0.58	70.46	388.19	0.54	6.46	25.46	16.96	0.96	3.75	7.65
17	7.70	0.17	0.74	84.97	323.94	0.2	7.8	23.34	25.74	0.76	4.3	8.2
18	7.24	0.13	0.60	64.24	263.70	0.26	10.74	28.11	27.36	1.12	2.05	6.55
19	7.48	0.14	0.49	49.74	327.96	0.14	8.1	22.28	14.78	0.82	1.25	8.65
20	7.77	0.12	0.66	31.09	291.81	0.2	9.06	20.69	28.48	0.96	4.2	6.3

*=Miliequivalent

Soil Fertility Index & Soil Test Rating:-

Samples site:

Village : Sevaliya, Taluka: Visnagar, District: Mehsana, Gujarat, India.

Sample No..	pH	EC	Org. Carbon (%)	Phosphorous (Kg/ Hectare)	Pottash (Kg/Hectare)	Zn ppm	Fe ppm	Sulphur ppm	Mn ppm	Cu ppm	Mg (Me*/100 g soil)	Ca (Me*/100 g soil)
L	0	20	3	0	0	20	0	0	0	0	2	0
M	20	0	9	0	0	0	0	0	0	0	5	0
H	0	0	8	20	20	0	20	20	20	20	13	20
%L	0	100	15	0	0	100	0	0	0	0	10	0
%M	100	0	45	0	0	0	0	0	0	0	25	0
%H	0	0	40	100	100	0	100	100	100	100	65	100
S.F.I.*	2.00	1.00	2.25	3.00	3.00	1.00	3.00	3.00	3.00	3.00	2.55	3.00
LMH** of SFI	M	L	M	H	H	L	H	H	H	H	H	H

*= Soil Fertility Index, **= Low, Medium, and High Soil Fertility Index

CONCLUSION:- It is concluded from above analysis that E.C. and Zn are in low amount. The other parameters are in limit. pH is in medium limit so it can be neutralized by using acidic fertilizer

Samples site:

Village :Rangpur, Taluka: Visnagar, District: Mehsana, Gujarat, India.

Sample No..	pH	EC	Org. Carbon (%)	Phosphorous (Kg/ Hectare)	Pottash (Kg/Hectare)	Zn ppm	Fe ppm	Sulphur ppm	Mn ppm	Cu ppm	Mg (Me*/100 g soil)	Ca (Me*/100 g soil)
1	7.96	0.25	0.86	58.03	230.24	0.48	5.18	20.69	11.7	1.04	3.45	8.05
2	8.13	0.24	1.01	24.87	262.37	0.22	5.28	28.11	23.48	0.98	3.25	8.65
3	7.95	0.23	0.97	43.52	206.14	0.46	5.7	16.97	18.56	1.24	2.55	6.55
4	7.23	0.59	0.53	47.66	305.20	0.16	5.42	61.53	17.08	1.14	2.65	7.65
5	7.35	0.63	0.66	24.87	370.79	0.08	5.84	54.64	19.06	1.2	4.65	8.25
6	7.67	0.24	0.51	64.24	289.14	0.54	5	25.99	10.86	0.88	2.20	9.8
7	7.73	0.15	0.59	29.01	253.00	0.16	6.32	14.32	10	1.1	1.75	3.85
8	7.69	0.25	0.73	26.94	281.11	0.08	7.28	45.62	28.1	1.32	2.80	8.4
9	7.23	0.18	0.83	31.09	321.26	0.38	6.14	26.52	14.5	1.14	2.40	7.7
10	7.41	0.41	0.53	89.11	262.37	0.28	4.68	21.75	16.24	1.16	3.55	9.05
11	7.38	0.18	0.91	49.74	218.19	0.42	4.72	23.34	22.44	1.38	5.75	8.95
12	7.78	0.63	0.83	26.94	321.26	0.24	4.62	49.86	15.96	1.04	2.10	7.1
13	7.73	0.23	0.72	31.09	318.59	0.08	3.92	23.34	14.5	0.96	0.85	9.95
14	7.60	0.24	0.66	24.87	362.76	0.26	4.76	17.50	14.4	0.96	1.15	12.45
15	8.20	0.50	0.60	26.94	175.36	0.4	4.18	56.76	14.74	0.88	1.45	8.85
16	7.66	0.33	0.90	31.09	345.36	0.6	5.5	42.97	18.9	1.14	4.85	9.45
17	7.80	0.77	0.65	22.80	368.12	0.08	6.88	35.01	28.14	1.34	1.20	8.4
18	7.55	0.32	0.93	29.01	275.75	0.44	4.82	19.63	15.9	1.12	4.45	8.65
19	8.28	0.44	0.66	26.94	164.65	0.44	4.4	32.89	14.1	0.78	2.85	7.65
20	7.72	0.26	0.93	24.87	465.83	0.24	6.62	19.63	19.88	1.74	1.40	8.5

*=Miliequivalent

Soil Fertility Index & Soil Test Rating:-

Samples site:

Village :Rangpur, Taluka: Visnagar, District: Mehsana, Gujarat, India.

Sample No..	pH	EC	Org. Carbon (%)	Phosphorous (Kg/Hectare)	Pottash (Kg/Hectare)	Zn ppm	Fe ppm	Sulphur ppm	Mn ppm	Cu ppm	Mg (Me*/100 g soil)	Ca (Me*/100 g soil)
L	0	20	0	0	0	20	0	0	0	0	1	0
M	19	0	11	0	0	0	0	0	1	0	5	0
H	1	0	9	20	20	0	20	20	19	20	14	20
%L	0	100	0	0	0	100	0	0	0	0	5	0
%M	95	0	55	0	0	0	0	0	5	0	25	0
%H	5	0	45	100	100	0	100	100	95	100	70	100
S.F.I.*	2.05	1.00	2.45	3.00	3.00	1.00	3.00	3.00	2.95	3.00	2.65	3.00
LMH** of SFI	M	L	H	H	H	L	H	H	H	H	H	H

*= Soil Fertility Index, **= Low, Medium, and High Soil Fertility Index

CONCLUSION:- It is concluded from above analysis that E.C. & Zn are in low amount, Zinc Sulphate should be added for better plant growth & productivity. The other parameters are in limit. pH is in medium limit so it can be neutralized by using acidic fertilizer

REFERENCES:

- 1) Dr. Dalwadi M.R. Dr. Bhatt V.R. soil and water testing Anand, Gujarat India, 2008.
- 2) Rawds.R,Earth, Compendium on soil health report American Chemical Society, 20-22, 1997.
- 3) R. Durand, N. Bellon and B. Jaillard, Plant and Soil, Vol. 229, No. 2, pp. 305-318, 2001.
- 4) Kaur. H, Environmental Chemistry in Soil 2nd Edition, 416, 2002.
- 5) K. J. Greer and J. J. Schoenau, Soil Technology, Vol. 8, No. 4, pp. 287-292, 1996.
- 6) Beegle. D, Interpretation of Soil Testing Result, 84- 91, 1995.
- 7) Stefanic. G, Agricultural interpretation of soil fertility, Romanian Agricultural Research 2, 107-116, 1994